

# Blessed Sacrament Primary School Written Calculations Policy

## Progression Towards a Written Method for Addition

In developing a written method for addition, it is important that children understand the concept of addition, in that it is:

- Combining two or more groups to give a total or sum
- Increasing an amount

They also need to understand and work with certain principles, i.e. that it is:

- the inverse of subtraction
- commutative i.e.  $5 + 3 = 3 + 5$
- associative i.e.  $5 + 3 + 7 = 5 + (3 + 7)$

The fact that it is commutative and associative means that calculations can be rearranged, e.g.  $4 + 13 = 17$  is the same as  $13 + 4 = 17$ .

### YR

#### **Early Learning Goal:**

***Using quantities and objects, children add two single-digit numbers and count on to find the answer.***


Children are encouraged to develop a mental picture of the number system in their heads to use for calculation. They should experience practical calculation opportunities using a wide variety of practical equipment, including small world play, role play, counters, cubes etc.

#### **Counting all method**

Children will begin to develop their ability to add by using practical equipment to count out the correct amount for each number in the calculation and then combine them to find the total. For example, when calculating  $4 + 2$ , they are encouraged to count out four counters and count out two counters.



To find how many altogether, touch and drag them into a line one at a time whilst counting.




By touch counting and dragging in this way, it allows children to keep track of what they have already counted to ensure they don't count the same item twice.

### Counting on method

To support children in moving from a counting all strategy to one involving counting on, children should still have two groups of objects but one should be covered so that it cannot be counted. For example, when calculating  $4 + 2$ , count out the two groups of counters as before.



then cover up the larger group with a cloth.



For most children, it is beneficial to place the digit card on top of the cloth to remind the children of the number of counters underneath. They can then start their count at 4, and touch count 5 and 6 in the same way as before, rather than having to count all of the counters separately as before.

**Those who are ready** may record their own calculations.

### Y1

**End of Year Objective:**

**Add one-digit and two-digit numbers to 20, including zero (using concrete objects and pictorial representations).**

Children will continue to use practical equipment, combining groups of objects to find the total by counting all or counting on. Using their developing understanding of place value, they will move on to be able to use Base 10 equipment to make teens numbers using separate tens and units.

For example, when adding 11 and 5, they can make the 11 using a ten rod and a unit.



The units can then be combined to aid with seeing the final total, e.g.




so  $11 + 5 = 16$ . If possible, they should use two different colours of base 10 equipment so that the initial amounts can still be seen.

**Y2**

**End of Year Objective:**

**Add numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones; a two-digit number and tens; two two-digit numbers; three one-digit numbers.**


Children will continue to use the Base 10 equipment to support their calculations. For example, to calculate  $32 + 21$ , they can make the individual amounts, counting the tens first and then count on the units.




When the units total more than 10, children should be encouraged to exchange 10 units/ones for 1 ten. This is the start of children understanding 'carrying' in vertical addition. For example, when calculating  $35 + 27$ , they can represent the amounts using Base 10 as shown:



Then, identifying the fact that there are enough units/ones to exchange for a ten, they can carry out this exchange:




To leave:




Children can also record the calculations using their own drawings of the Base 10 equipment (as slanted lines for the 10 rods and dots for the unit blocks).

e.g.  $34 + 23 =$




With exchange:

e.g.  $28 + 36 =$




will become



so  $28 + 36 = 64$

It is important that children circle the remaining tens and units/ones after exchange to identify the amount remaining.

This method can also be used with adding three digit numbers, e.g.  $122 + 217$  using a square as the representation of 100.



### Y3

#### End of Year Objective:

**Add numbers with up to three digits, using formal written method of columnar addition.\***

*\*Although the objective suggests that children should be using formal written methods, the National Curriculum document states "The programmes of study for mathematics are set out year-by-year for key stages 1 and 2. Schools are, however, only required to teach the relevant programme of study by the end of the key stage. Within each key stage, schools therefore have the flexibility to introduce content earlier or later than set out in the programme of study." p4*

*It is more beneficial for children's understanding to go through the expanded methods of calculation as steps of development towards a formal written method.*


Children will build on their knowledge of using Base 10 equipment from Y2 and continue to use the idea of exchange.

Children should add the **least significant digits** first (i.e. start with the units/ones), and in an identical method to that from year 2, should identify whether there are greater than ten units which can be exchanged for one ten.


They can use a place value grid to begin to set the calculation out vertically and to support their knowledge of exchange between columns (as in Step 1 in the diagram below).

e.g. 65 + 27

Step 1




Step 2



Children would exchange ten units/ones for a ten, placing the exchanged ten below the equals sign. Any remaining units/ones that cannot be exchanged for a ten move into the equals sign as they are the units part of the answer (as in the diagram in Step 2 above).

If there are any tens that can be exchanged for a hundred, this can be done next. If not, the tens move into the equals sign as they are the tens part of the answer (as in the diagram in Step 3 below).

Step 3



Written method

| Step 1  | Step 2 | Step 3 |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
|---|--------|--------|---|---|-----|---|-------|--|--|--|-------|--|---|---|---|---|---|-----|---|-------|--|---|--|-------|--|--|--|---|---|---|---|---|-----|---|-------|--|-----|--|-------|--|--|--|
| <table border="0"> <tr><td>T</td><td>U</td></tr> <tr><td>6</td><td>5</td></tr> <tr><td>+ 2</td><td>7</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"><hr/></td></tr> </table> | T      | U      | 6 | 5 | + 2 | 7 | <hr/> |  |  |  | <hr/> |  | <table border="0"> <tr><td>T</td><td>U</td></tr> <tr><td>6</td><td>5</td></tr> <tr><td>+ 2</td><td>7</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2">2</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2"> </td></tr> </table> | T | U | 6 | 5 | + 2 | 7 | <hr/> |  | 2 |  | <hr/> |  |  |  | <table border="0"> <tr><td>T</td><td>U</td></tr> <tr><td>6</td><td>5</td></tr> <tr><td>+ 2</td><td>7</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2">9 2</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td colspan="2"> </td></tr> </table> | T | U | 6 | 5 | + 2 | 7 | <hr/> |  | 9 2 |  | <hr/> |  |  |  |
| T   | U      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| 6   | 5      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| + 2   | 7      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
|   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| T   | U      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| 6   | 5      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| + 2   | 7      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| 2   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
|   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| T   | U      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| 6   | 5      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| + 2   | 7      |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| 9 2   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
| <hr/>   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |
|   |        |        |   |   |     |   |       |  |  |  |       |  |   |   |   |   |   |     |   |       |  |   |  |       |  |  |  |   |   |   |   |   |     |   |       |  |     |  |       |  |  |  |

Children should utilise this practical method to link their understanding of exchange to how the column method is set out. Teachers should model the written method alongside this practical method initially.

This should progress to children utilising the written and practical methods alongside each other and finally, and when they are ready, to children utilising just the written method.







By the end of year 3, children should also extend this method for three digit numbers.

#### Y4

**End of Year Objective:**  
**Add numbers with up to 4 digits and decimals with one decimal place using the formal written method of columnar addition where appropriate.**









Children will move to year 4 using whichever method they were using as they transitioned from year 3.

#### Step 1

| H  | T  | U  |
|--|--|--|
|   |   |   |
|  |  |  |
|  |  |  |
|  |  |  |

$$\begin{array}{r}
 \text{H} \quad \text{T} \quad \text{U} \\
 3 \quad 6 \quad 5 \\
 + 2 \quad 4 \quad 7 \\
 \hline
 \hline
 \end{array}$$

#### Step 2

| H   | T   | U   |
|---|---|---|
|  |  |  |
|  |  |  |
|   |   |   |
|   |   |  |
|   |   |  |

$$\begin{array}{r}
 \text{H} \quad \text{T} \quad \text{U} \\
 3 \quad 6 \quad 5 \\
 + 2 \quad 4 \quad 7 \\
 \hline
 \phantom{0} \phantom{0} \quad 2 \\
 \hline
 1 \phantom{0} \phantom{0}
 \end{array}$$

Step 3

| H   | T | U   |
|-----|---|-----|
| □ □ |   |     |
| □   |   |     |
| □ □ |   |     |
| /   |   |     |
|     |   | • • |
| □   |   |     |

|   | H | T | U |
|---|---|---|---|
|   | 3 | 6 | 5 |
| + | 2 | 4 | 7 |
|   |   |   |   |
|   |   | 1 | 2 |
|   |   |   |   |
|   | 1 | 1 |   |

Step 4

| H           | T | U   |
|-------------|---|-----|
| □ □ □ □ □ □ |   |     |
| /           |   |     |
|             |   | • • |

|   | H | T | U |
|---|---|---|---|
|   | 3 | 6 | 5 |
| + | 2 | 4 | 7 |
|   |   |   |   |
|   | 6 | 1 | 2 |
|   |   |   |   |
|   | 1 | 1 |   |

By the end of year 4, children should be using the written method confidently and with understanding. They will also be adding:

- several numbers with different numbers of digits, understanding the place value;
- decimals with one decimal place, knowing that the decimal points line up under one another.

## Y5

### End of Year Objective:

**Add whole numbers with more than 4 digits and decimals with two decimal places, including formal written methods (columnar addition).**

Children should continue to use the carrying method to solve calculations such as:

$$\begin{array}{r} 3364 \\ + 247 \\ \hline 3611 \\ \hline | | \end{array}$$

$$\begin{array}{r} 3121 \\ + 37 \\ \hline 148 \\ \hline 3306 \\ \hline | | \end{array}$$

$$\begin{array}{r} 3.56 \\ + 2.47 \\ \hline 6.03 \\ \hline | \end{array}$$

They will also be adding:

- several numbers with different numbers of digits, understanding the place value;
- *decimals with up to two decimal places (with each number having the same number of decimal places), knowing that the decimal points line up under one another.*
- amounts of money and measures, including those where they have to initially convert from one unit to another

## Y6

### End of Year Objective:

**Add whole numbers and decimals using formal written methods (columnar addition).**

Children should extend the carrying method and use it to add whole numbers and decimals with any number of digits.

$$\begin{array}{r} 42 \\ 6432 \\ 786 \\ + 3 \\ \hline 4681 \\ \hline | | 9 4 4 \\ \hline | | 2 | \end{array}$$

$$\begin{array}{r} 401.20 \\ + 26.85 \\ \hline 0.71 \\ \hline 428.76 \\ \hline | \end{array}$$

When adding decimals with different numbers of decimal places, children should be taught and encouraged to make them the same through identification that 2 tenths is the same as 20 hundredths, therefore, 0.2 is the same value as 0.20.

They will also be adding:

- several numbers with different numbers of digits, understanding the place value;
- *decimals with up to two decimal places (with mixed numbers of decimal places), knowing that the decimal points line up under one another.*
- amounts of money and measures, including those where they have to initially convert from one unit to another.



## Progression Towards a Written Method for Subtraction

In developing a written method for subtraction, it is important that children understand the concept of subtraction, in that it is:

- Removal of an amount from a larger group (take away)
- Comparison of two amounts (difference)

They also need to understand and work with certain principles, i.e. that it is:

- the inverse of addition
- not commutative i.e.  $5 - 3$  is not the same as  $3 - 5$
- not associative i.e.  $10 - 3 - 2$  is not the same as  $10 - (3 - 2)$

### **YR**


#### **Early Learning Goal:**

**Using quantities and objects, children subtract two single-digit numbers and count on or back to find the answer.**


Children are encouraged to develop a mental picture of the number system in their heads to use for calculation. They should experience practical calculation opportunities using a wide variety of practical equipment, including small world play, role play, counters, cubes etc.

#### **Taking away**

Children will begin to develop their ability to subtract by using practical equipment to count out the first number and then remove or take away the second number to find the solution by counting how many are left e.g.  $9 - 4$ .



For illustration purposes, the amount being taken away are show crossed out. Children would be encouraged to physically remove these using touch counting.



By touch counting and dragging in this way, it allows children to keep track of how many they are removing so they don't have to keep recounting. They will then touch count the amount that are left to find the answer.


**Those who are ready** may record their own calculations.

## Y1


### End of Year Objective:

**Subtract one-digit and two-digit numbers to 20, including zero (using concrete objects and pictorial representations).**


Children will continue to use practical equipment and taking away strategies. To avoid the need to exchange for subtraction at this stage, it is advisable to continue to use equipment such as counters, cubes and the units from the Base 10 equipment, but not the tens, e.g.  $13 - 4$



Touch count and remove the number to be taken away, in this case 4.



Touch count to find the number that remains.




## Y2


### End of Year Objective:

**Subtract numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones; a two-digit number and tens; two two-digit numbers.**

Children will begin to use the Base 10 equipment to support their calculations, still using a take away, or removal, method. They need to understand that the number being subtracted does not appear as an amount on its own, but rather as part of the larger amount. For example, to calculate  $54 - 23$ , children would count out 54 using the Base 10 equipment (5 tens and 4 units). They need to consider whether there are enough units/ones to remove 3, in this case there are, so they would remove 3 units and then two tens, counting up the answer of 3 tens and 1 unit to give 31.



which leaves



so  $54 - 23 = 31$


Children can also record the calculations using their own drawings of the Base 10 equipment (as slanted lines for the 10 rods and dots for the unit blocks), e.g. to calculate  $39 - 17$  children would draw 39 as 3 tens (lines) and 4 units (dots) and would cross out 7 units and then one ten, counting up the answer of 2 tens and 2 units to give 22.




Circling the tens and units that remain will help children to identify how many remain.

When the amount of units to be subtracted is greater than the units in the original number, an exchange method is required. This relies on children's understanding of ten units being an equivalent amount to one ten. To calculate  $53 - 26$ , by using practical equipment, they would count out 53 using the tens and units, as in Step 1. They need to consider whether there are enough units/ones to remove 6. In this case there are not so they need to exchange a ten into ten ones to make sure that there are enough, as in step 2.

Step 1




Step 2




The children can now see the 53 represented as 40 and 13, still the same total, but partitioned in a different way, as in step 3 and can go on to take away the 26 from the calculation to leave 27 remaining, as in Step 4.

Step 3




Step 4




When recording their own drawings, when calculating  $37 - 19$ , children would cross out a ten and exchange for ten units. Drawing them in a vertical line, as in Step 2, ensures that children create ten ones and do not get them confused with the units that were already in place.


Step 1



Step 2



Step 3



Circling the tens and units that remain will help children to identify how many remain.

**End of Year Objective:**  
**Subtract numbers with up to three digits, using formal written method of columnar subtraction.\***

*\*Although the objective suggests that children should be using formal written methods, the National Curriculum document states “The programmes of study for mathematics are set out year-by-year for key stages 1 and 2. Schools are, however, only required to teach the relevant programme of study by the end of the key stage. Within each key stage, schools therefore have the flexibility to introduce content earlier or later than set out in the programme of study.” p4*

*It is more beneficial for children’s understanding to go through the expanded methods of calculation as steps of development towards a formal written method.*

Children will build on their knowledge of using Base 10 equipment from Y2 and continue to use the idea of exchange. This process should be demonstrated using arrow cards to show the partitioning and Base 10 materials to represent the first number, removing the units and tens as appropriate (as with the more informal method in Y2).

Step 1

80      9

– 50      7

---

Step 2

80      9

– 50      7

---

Step 3

80      9

– 50      7

---


30      2

*Emphasise that the second (bottom) number is being subtracted from the first (top) number rather than the lesser number from the greater.*

This will be recorded by the children as:

$$\begin{array}{r}
 80 \rightarrow 9 \\
 - 50 \rightarrow 7 \\
 \hline
 30 \rightarrow 2 = 32
 \end{array}$$


Children can also use jottings of the Base 10 materials (as in Year 2) to support with their calculation, as in the example below.



$$\begin{array}{r}
 80 \rightarrow 9 \\
 - 50 \rightarrow 7 \\
 \hline
 30 \rightarrow 2 = 32
 \end{array}$$


From this the children will begin to solve problems which involve exchange. Children need to consider whether there are enough units/ones to remove 6. In this case there are not (Step 1) so they need to exchange a ten into ten ones to make sure that there are enough, as they have been doing in the method for Year 2 (Step 2). They should be able to see that the number is just partitioned in a different way, but the amount remains the same ( $71 = 70 + 1 = 60 + 11$ ).

Step 1




$$\begin{array}{r}
 70 \\
 - 40 \\
 \hline
 \end{array}
 \quad
 \begin{array}{r}
 1 \\
 - 6 \\
 \hline
 \end{array}$$

Step 2




$$\begin{array}{r}
 60 \\
 - 40 \\
 \hline
 \end{array}
 \quad
 \begin{array}{r}
 11 \\
 - 6 \\
 \hline
 \end{array}$$

Step 3



$$\begin{array}{r}
 60 \\
 - 40 \\
 \hline
 \end{array}
 \quad
 \begin{array}{r}
 11 \\
 - 6 \\
 \hline
 \end{array}$$

Step 4



$$\begin{array}{r}
 60 \\
 - 40 \\
 \hline
 20 \\
 \end{array}
 \quad
 \begin{array}{r}
 11 \\
 - 6 \\
 \hline
 5 \\
 \end{array}$$

This will be recorded by the children as:

$$\begin{array}{r}
 60 \\
 70 \rightarrow 11 \\
 - 40 \rightarrow 6 \\
 \hline
 20 \rightarrow 5 = 25
 \end{array}$$

By the end of year 3, children should also extend this method for three digit numbers.

## Y4

### End of Year Objective:

Subtract numbers with up to 4 digits *and decimals with one decimal place* using the formal written method of columnar subtraction where appropriate.

Children will move to Y4 using whichever method they were using as they transitioned from Y3.

Step 1

$$\begin{array}{r} 700 \rightarrow 50 \rightarrow 4 \\ - 200 \rightarrow 80 \rightarrow 6 \\ \hline \end{array}$$

Step 2 (exchanging from tens to units)

$$\begin{array}{r} 700 \rightarrow \overset{40}{\cancel{50}} \rightarrow '4 \\ - 200 \rightarrow 80 \rightarrow 6 \\ \hline \end{array}$$

Step 3 (exchanging from hundreds to tens)

$$\begin{array}{r} \overset{600}{\cancel{700}} \rightarrow \overset{140}{\cancel{50}} \rightarrow '4 \\ - 200 \rightarrow 80 \rightarrow 6 \\ \hline \end{array}$$

Step 4

$$\begin{array}{r} \overset{600}{\cancel{700}} \rightarrow \overset{140}{\cancel{50}} \rightarrow '4 \\ - 200 \rightarrow 80 \rightarrow 6 \\ \hline 400 \rightarrow 60 \rightarrow 8 = 468 \end{array}$$

This would be recorded by the children as:

$$\begin{array}{r} \overset{600}{\cancel{700}} \rightarrow \overset{140}{\cancel{50}} \rightarrow '4 \\ - 200 \rightarrow 80 \rightarrow 6 \\ \hline 400 \rightarrow 60 \rightarrow 8 = 468 \end{array}$$

When children are ready, this leads on to the compact method of decomposition:

$$\begin{array}{r} 4 \overset{6}{\cancel{7}} \overset{14}{\cancel{5}} '4 \\ - 3 \quad 2 \quad 8 \quad 6 \\ \hline 1 \quad 4 \quad 6 \quad 8 \end{array}$$

By the end of Y4, children should be using the written method confidently and with understanding. They will also be subtracting:

- numbers with different numbers of digits, understanding the place value;
- *decimals with one decimal place, knowing that the decimal points line up under one another.*

## Y5

### End of Year Objective:

**Subtract whole numbers with more than 4 digits *and* decimals with two decimal places, including formal written methods (columnar subtraction).**

Children should continue to use the decomposition method to solve calculations such as:

$$\begin{array}{r} \overset{6}{\cancel{7}} \overset{6}{\cancel{10}} \overset{6}{\cancel{7}} \overset{6}{\cancel{12}} \\ - \quad 3 \quad 2 \quad 2 \quad 6 \\ \hline 3 \quad 8 \quad 4 \quad 6 \end{array}$$

$$\begin{array}{r} \overset{2}{\cancel{3}} \overset{13}{\cancel{4}} \overset{12}{\cancel{12}} \\ - \quad 1 \quad . \quad 7 \quad 6 \\ \hline 1 \quad . \quad 6 \quad 6 \end{array}$$

They will also be subtracting:

- numbers with different numbers of digits, understanding the place value;
- *decimals with up to two decimal places (with each number having the same number of decimal places), knowing that the decimal points line up under one another.*
- amounts of money and measures, including those where they have to initially convert from one unit to another

## Y6

### End of Year Objective:

**Subtract whole numbers and decimals using formal written methods (columnar subtraction).**

Children should extend the decomposition method and use it to subtract whole numbers and decimals with any number of digits.

$$\begin{array}{r} \overset{5}{\cancel{6}} \overset{13}{\cancel{4}} \overset{13}{\cancel{13}} \overset{2}{\cancel{2}} \\ - \quad 4 \quad 6 \quad 8 \quad 1 \\ \hline 1 \quad 7 \quad 5 \quad 1 \end{array}$$

$$\begin{array}{r} \overset{3}{\cancel{4}} \overset{6}{\cancel{11}} \overset{6}{\cancel{7}} \overset{11}{\cancel{2}} \overset{10}{\cancel{10}} \\ - \quad 3 \quad 4 \quad . \quad 7 \quad 1 \\ \hline 3 \quad 8 \quad 2 \quad . \quad 4 \quad 9 \end{array}$$

When subtracting decimals with different numbers of decimal places, children should be taught and encouraged to make them the same through identification that 2 tenths is the same as 20 hundredths, therefore, 0.2 is the same value as 0.20.

They will also be subtracting:

- numbers with different numbers of digits, understanding the place value;
- *decimals with up to two decimal places (with mixed numbers of decimal places), knowing that the decimal points line up under one another.*
- amounts of money and measures, including those where they have to initially convert from one unit to another.

## Progression Towards a Written Method for Multiplication

In developing a written method for multiplication, it is important that children understand the concept of multiplication, in that it is:

- repeated addition

They should also be familiar with the fact that it can be represented as an array

They also need to understand and work with certain principles, i.e. that it is:

- the inverse of division
- commutative i.e.  $5 \times 3$  is the same as  $3 \times 5$
- associative i.e.  $2 \times 3 \times 5$  is the same as  $2 \times (3 \times 5)$


### YR

#### **Early Learning Goal:**

***Children solve problems, including doubling.***

Children are encouraged to develop a mental picture of the number system in their heads to use for calculation. They should experience practical calculation opportunities using a wide variety of equipment, including small world play, role play, counters, cubes etc.

Children may also investigate putting items into resources such as egg boxes, ice cube trays and baking tins which are arrays.



They may develop ways of recording calculations using pictures, etc.



A child's jotting showing the fingers on each hand as a double.



A child's jotting showing double three as three cookies on each plate.

### Y1

#### **End of Year Objective:**

**Solve one-step problems involving multiplication by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.**

In year one, children will continue to solve multiplication problems using practical equipment and jottings. They may use the equipment to make groups of objects. Children should see everyday versions of arrays, e.g. egg boxes, baking trays, ice cube trays, wrapping paper etc. and use this in their



learning, answering questions such as 'How many eggs would we need to fill the egg box? How do you know?'


## Y2

### End of Year Objective:


Calculate mathematical statements for multiplication (*using repeated addition*) and write them using the multiplication ( $\times$ ) and equals ( $=$ ) signs.

Children should understand and be able to calculate multiplication as repeated addition, supported by the use of practical apparatus such as counters or cubes. e.g.

$5 \times 3$  can be shown as five groups of three with counters, either grouped in a random pattern, as below:




or in a more ordered pattern, with the groups of three indicated by the border outline:




Children should then develop this knowledge to show how multiplication calculations can be represented by an array, (this knowledge will support with the development of the grid method in the future). Again, children should be encouraged to use practical apparatus and jottings to support their understanding, e.g.

$5 \times 3^*$  can be represented as an array in two forms (as it has commutativity):



$$3 + 3 + 3 + 3 + 3 = 15$$



$$5 + 5 + 5 = 15$$

\*For mathematical accuracy  $5 \times 3$  is represented by the second example above, rather than the first as it is five, three times. However, because we use terms such as 'groups of' or 'lots of', children are more familiar with the initial notation. Once children understand the commutative order of multiplication the order is irrelevant).

**End of Year Objective:**

**Write and calculate mathematical statements for multiplication using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, progressing to formal written methods.\***


*\*Although the objective suggests that children should be using formal written methods, the National Curriculum document states “The programmes of study for mathematics are set out year-by-year for key stages 1 and 2. Schools are, however, only required to teach the relevant programme of study by the end of the key stage. Within each key stage, schools therefore have the flexibility to introduce content earlier or later than set out in the programme of study.” p4*

*It is more beneficial for children’s understanding to go through the expanded methods of calculation as steps of development towards a formal written method.*

Initially, children will continue to use arrays where appropriate linked to the multiplication tables that they know (2, 3, 4, 5, 8 and 10), e.g.


$3 \times 8$

They may show this using practical equipment:




$3 \times 8 = 8 + 8 + 8 = 24$

or by jottings using squared paper:



$3 \times 8 = 8 + 8 + 8 = 24$

As they progress to multiplying a two-digit number by a single digit number, children should use their knowledge of partitioning two digit numbers into tens and units/ones to help them. For example, when calculating  $14 \times 6$ , children should set out the array, then partition the array so that one array has ten columns and the other four.




Partitioning in this way, allows children to identify that the first array shows  $10 \times 6$  and the second array shows  $4 \times 6$ . These can then be added to calculate the answer:


$$\begin{aligned} &(6 \times 10) + (6 \times 4) \\ = &60 + 24 \\ = &84 \end{aligned}$$

NB There is no requirement for children to record in this way, but it could be used as a jotting to support development if needed.

This method is the precursor step to the grid method. Using a two-digit by single digit array, they can partition as above, identifying the number of rows and the number of columns each side of the partition line.



By placing a box around the array, as in the example below, and by removing the array, the grid method can be seen.



It is really important that children are confident with representing multiplication statements as arrays and understand the rows and columns structure before they develop the written method of recording.

From this, children can use the grid method to calculate two-digit by one-digit multiplication calculations, initially with two digit numbers less than 20. Children should be encouraged to set out their addition in a column at the side to ensure the place value is maintained. When children are working with numbers where they can confidently and correctly calculate the addition mentally, they may do so.

$$13 \times 8$$

|   |    |    |
|---|----|----|
| x | 10 | 3  |
| 8 | 80 | 24 |

$$\begin{array}{r} 80 \\ + 24 \\ \hline 104 \end{array}$$

When children are ready, they can then progress to using this method with other two-digit numbers.

$37 \times 6$

|   |     |    |
|---|-----|----|
| x | 30  | 7  |
| 6 | 180 | 42 |

$$\begin{array}{r} 180 \\ + 42 \\ \hline 222 \end{array}$$

Children should also be using this method to solve problems and multiply numbers in the context of money or measures.

## Y4

**End of Year Objective:**  
**Multiply two-digit and three-digit numbers by a one-digit number using formal written layout.**

Children will move to year 4 using whichever method they were using as they transitioned from year 3. They will further develop their knowledge of the grid method to multiply any two-digit by any single-digit number, e.g.

$79 \times 8$

|   |     |    |
|---|-----|----|
| x | 70  | 9  |
| 8 | 560 | 72 |

$$\begin{array}{r} 560 \\ + 72 \\ \hline 632 \end{array}$$

To support the grid method, children should develop their understanding of place value and facts that are linked to their knowledge of tables. For example, in the calculation above, children should use their knowledge that  $7 \times 8 = 56$  to know that  $70 \times 8 = 560$ .

By the end of the year, they will extend their use of the grid method to be able to multiply three-digit numbers by a single digit number, e.g.

$346 \times 8$

|   |      |     |    |
|---|------|-----|----|
| x | 300  | 40  | 6  |
| 8 | 2400 | 320 | 48 |

$$\begin{array}{r} 2400 \\ + 320 \\ + 48 \\ \hline 2768 \end{array}$$

When children are working with numbers where they can confidently and correctly calculate the addition (or parts of the addition) mentally, they may do so.

Children should also be using this method to solve problems and multiply numbers in the context of money or measures.

## Y5

### End of Year Objective:

**Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers.**

Children should continue to use the grid method and extend it to multiplying numbers with up to four digits by a single digit number, e.g.

$$4346 \times 8$$

|   |        |      |     |    |
|---|--------|------|-----|----|
| x | 4 000  | 300  | 40  | 6  |
| 8 | 32 000 | 2400 | 320 | 48 |

$$\begin{array}{r} 32000 \\ + 2400 \\ + 320 \\ + 48 \\ \hline 34768 \end{array}$$

and numbers with up to four digits by a two-digit number, e.g.

$$2693 \times 24$$

|    |       |       |      |    |
|----|-------|-------|------|----|
| x  | 2000  | 600   | 90   | 3  |
| 20 | 40000 | 12000 | 1800 | 60 |
| 4  | 8000  | 2400  | 360  | 12 |

$$\begin{array}{r} 40000 \\ + 8000 \\ + 12000 \\ + 2400 \\ + 1800 \\ + 360 \\ + 60 \\ + 12 \\ \hline 64632 \end{array}$$

The long list of numbers in the addition part can be used to check that all of the answers from the grid have been included, however, when children are working with numbers where they can confidently and correctly calculate the addition (or parts of the addition) mentally, they should be encouraged to do so. For example,

|    |       |       |      |    |            |
|----|-------|-------|------|----|------------|
| x  | 2000  | 600   | 90   | 3  |            |
| 20 | 40000 | 12000 | 1800 | 60 | = 53 860   |
| 4  | 8000  | 2400  | 360  | 12 | = 10 772 + |
|    |       |       |      |    | <hr/>      |
|    |       |       |      |    | 64 632     |
|    |       |       |      |    | <hr/>      |

Adding across mentally, leads children to finding the separate answers to:

$$2\ 693 \times 20$$

$$2\ 693 \times 4$$

Children should also be using this method to solve problems and multiply numbers in the context of money or measures.

During Year 5, the transition from the grid method into the formal vertical method for multiplication could take place. The traditional vertical compact method of written multiplication is a highly efficient way to calculate, but it has a very condensed form and needs to be introduced carefully. It is most effective to begin with the grid method, moving to an expanded vertical layout, before introducing the compact form. This allows children to see, and understand, how the processes relate to each other and where the individual multiplication answers come from e.g.

$$368 \times 6$$

|   |       |     |    |  |
|---|-------|-----|----|--|
| x | 300   | 60  | 8  |  |
| 6 | 1 800 | 360 | 48 |  |

$$\begin{array}{r}
 1800 \\
 + 360 \\
 + 48 \\
 \hline
 2208
 \end{array}$$

|     |   |   |   |           |
|-----|---|---|---|-----------|
| Th  | H | T | U |           |
| 3   | 6 | 8 |   |           |
| x   | 6 |   |   |           |
|     | 4 | 8 |   | (8 x 6)   |
|     | 3 | 6 | 0 | (60 x 6)  |
| + 1 | 8 | 0 | 0 | (300 x 6) |
|     | 2 | 2 | 0 | 8         |

|     |   |   |   |           |
|-----|---|---|---|-----------|
| Th  | H | T | U |           |
| 3   | 6 | 8 |   |           |
| x   | 6 |   |   |           |
|     | 4 | 8 |   | (8 x 6)   |
|     | 3 | 6 | 0 | (60 x 6)  |
| + 1 | 8 | 0 | 0 | (300 x 6) |
|     | 2 | 2 | 0 | 8         |

becomes

|    |   |   |   |   |
|----|---|---|---|---|
| Th | H | T | U |   |
| 3  | 6 | 8 |   |   |
| x  | 6 |   |   |   |
|    | 2 | 2 | 0 | 8 |

The place value columns are labelled to ensure children understand the size of the partitioned digits in the original number(s) and in the answer.

It is vital that the teacher models the correct language when explaining the process of the compact method.

The example shown should be explained as:

“Starting with the least significant digit... 8 multiplied by 6 is 48, put 8 in the units and carry 4 tens (40). 6 tens multiplied by 6 are 36 tens. Add the 4 tens carried over to give 40 tens (which is the same as 4 hundreds and 0 tens). Put 0 in the tens place of the answer and carry 4 hundreds. 3 hundreds multiplied by 6 are 18 hundreds. Add the 4 hundreds carried over to give 22 hundreds (which is the same as 2 thousands and 2 hundreds). Write 2 in the hundreds place of the answer and 2 in the thousands place of the answer.”

Children should recognise that the answer is close to an estimated answer of  $400 \times 6 = 2\ 400$

Long multiplication could also be introduced by comparing the grid method with the compact vertical method. Mentally totalling each row of answers is an important step in children making the link between the grid method and the compact method.

|    |       |      |    |               |
|----|-------|------|----|---------------|
| x  | 600   | 90   | 3  |               |
| 20 | 12000 | 1800 | 60 | = 13 860      |
| 4  | 2400  | 360  | 12 | = 2 772 +     |
|    |       |      |    | <u>16 632</u> |

Children should only be expected to move towards this next method if they have a secure understanding of place value. It is difficult to explain the compact method without a deep understanding of place value.

The example shown should be explained as:

*“Starting with the least significant digit... 3 multiplied by 4 is 12; put 2 in the units and carry 1 ten (10).*

*9 tens multiplied by 4 are 36 tens. Add the 1 ten carried over to give 37 tens (which is the same as 3 hundreds and 7 tens). Put 7 in the tens place of the answer and carry 3 hundreds.*

*6 hundreds multiplied by 4 are 24 hundreds. Add the 3 hundreds carried over to give 27 hundreds (which is the same as 2 thousands and 7 hundreds). Write 7 in the hundreds place of the answer and 2 in the thousands place of the answer. We have now found the answer to  $693 \times 4$ . Step 1 is complete so to avoid confusion later, we will cross out the carried digits 3 and 1.”*

Notice this answer can clearly be seen in the grid method example.

Step 1

$$\begin{array}{r} \text{TTh Th H T U} \\ 693 \\ \times 24 \\ \hline 2772 \\ \phantom{277}3 \\ \phantom{277}1 \\ \hline \end{array} \quad (693 \times 4)$$

Step 2

$$\begin{array}{r} \text{TTh Th H T U} \\ 693 \\ \times 24 \\ \hline 2772 \\ \phantom{277}3 \\ \phantom{277}1 \\ \hline + 13860 \\ \phantom{138}1 \\ \hline \end{array} \quad \begin{array}{l} (693 \times 4) \\ (693 \times 20) \end{array}$$

*Now we are multiplying 693 by 20. Starting with the least significant digit of the top number... 3 multiplied by 20 is 60. Write this answer in.*

*90 multiplied by 20 is 1 800. There are no units and no tens in this answer, so write 8 in the hundreds place and carry 1 in the thousands.*

*600 multiplied by 20 is 12 000. Add the 1 (thousand) that was carried to give 13 000. There are no units, no tens and no hundreds in this answer, so write 3 in the thousands place and 1 in the ten thousands place.*

Step 3

$$\begin{array}{r} \text{TTh Th H T U} \\ 693 \\ \times 24 \\ \hline 2772 \\ \phantom{277}3 \\ \phantom{277}1 \\ \hline + 13860 \\ \phantom{138}1 \\ \hline \hline 16632 \\ \phantom{166}1 \\ \hline \end{array} \quad \begin{array}{l} (693 \times 4) \\ (693 \times 20) \end{array}$$

*The final step is to total both answers using efficient columnar addition.*

When using the compact method for long multiplication, all carried digits should be placed below the line of that answer e.g.  $3 \times 4$  is 12, so the 2 is written in the units column and the 10 is carried as a small 1 in the tens column.

This carrying below the answer is in line with the written addition policy in which carried digits are always written below the answer/line.

## Y6

### End of Year Objective:

**Multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication.**

**Multiply one-digit numbers with up to two decimal places by whole numbers.**

By the end of year 6, children should be able to use the grid method to multiply any number by a two-digit number. They could also develop the method to be able to multiply decimal numbers with up to two decimal places, but having been introduced to expanded and compact vertical methods in Year 5, it may be appropriate to use the expanded vertical method when introducing multiplication involving decimals.

$4.92 \times 3$

$$\begin{array}{r} \text{T U . t h} \\ 4 . 9 2 \\ \times \quad 3 \\ \hline 0 . 0 6 \quad (0.02 \times 3) \\ 2 . 7 \quad (0.9 \times 3) \\ + 1 2 \quad (4 \times 3) \\ \hline \underline{14.76} \end{array}$$

becomes

$$\begin{array}{r} \text{T U . t h} \\ 4 . 9 2 \\ \times \quad 3 \\ \hline \underline{14.76} \\ 2 \end{array}$$

Children should also be using this method to solve problems and multiply numbers, including those with decimals, in the context of money or measures, e.g. to calculate the cost of 7 items at £8.63 each, or the total length of six pieces of ribbon of 2.28m each.



## Progression Towards a Written Method for Division

In developing a written method for division, it is important that children understand the concept of division, in that it is:

- repeated subtraction
- sharing into equal amounts

They also need to understand and work with certain principles, i.e. that it is:

- the inverse of multiplication
- not commutative i.e.  $15 \div 3$  is not the same as  $3 \div 15$
- not associative i.e.  $30 \div (5 \div 2)$  is not the same as  $(30 \div 5) \div 2$


### YR

#### **Early Learning Goal:**


***Children solve problems, including halving and sharing.***

Children are encouraged to develop a mental picture of the number system in their heads to use for calculation. They should experience practical calculation opportunities using a wide variety of equipment, including small world play, role play, counters, cubes etc.

Children may also investigate sharing items or putting items into groups using items such as egg boxes, ice cube trays and baking tins which are arrays.



They may develop ways of recording calculations using pictures, etc.



A child's jotting showing halving six spots between two sides of a ladybird.



A child's jotting showing how they shared the apples at snack time between two groups.




## Y1

### End of Year Objective:

**Solve one-step problems involving division by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.**

In year one, children will continue to solve division problems using practical equipment and jottings. They should use the equipment to share objects and separate them into groups, answering questions such as 'If we share these six apples between the three of you, how many will you each have? How do you know?' or 'If six football stickers are shared between two people, how many do they each get?' They may solve both of these types of question by using a 'one for you, one for me' strategy until all of the objects have been given out.



Children should be introduced to the concept of simple remainders in their calculations at this practical stage, being able to identify that the groups are not equal and should refer to the remainder as '... left over'.

## Y2

### End of Year Objective:

**Calculate mathematical statements for division within the multiplication tables and write them using the division ( $\div$ ) and equals (=) signs.**

Children will utilise practical equipment to represent division calculations as grouping (repeated subtraction) and use jottings to support their calculation, e.g.


$$12 \div 3 =$$



Children need to understand that this calculation reads as 'How many groups of 3 are there in 12?'

They should also continue to develop their knowledge of division with remainders, e.g.

$$13 \div 4 =$$



$$13 \div 4 = 3 \text{ remainder } 1$$

Children need to be able to make decisions about what to do with remainders after division and round up or down accordingly. In the calculation  $13 \div 4$ , the answer is 3 remainder 1, but whether the answer should be rounded up to 4 or rounded down to 3 depends on the context, as in the examples below:

I have £13. Books are £4 each. How many can I buy?  
Answer: 3 (the remaining £1 is not enough to buy another book)

Apples are packed into boxes of 4. There are 13 apples. How many boxes are needed?  
Answer: 4 (the remaining 1 apple still needs to be placed into a box)

### **Y3**

**End of Year Objective:**  
**Write and calculate mathematical statements for division using the multiplication tables that they know, including for two-digit numbers divided by one-digit numbers, progressing to formal written methods.\***

*\*Although the objective suggests that children should be using formal written methods, the National Curriculum document states “The programmes of study for mathematics are set out year-by-year for key stages 1 and 2. Schools are, however, only required to teach the relevant programme of study by the end of the key stage. Within each key stage, schools therefore have the flexibility to introduce content earlier or later than set out in the programme of study.” p4*

*It is more beneficial for children’s understanding to go through the expanded methods of calculation as steps of development towards a formal written method.*

Initially, children will continue to use division by grouping (including those with remainders), where appropriate linked to the multiplication tables that they know (2, 3, 4, 5, 8 and 10), e.g.

$43 \div 8$  being interpreted as how many groups of 8 are there in 43?



I know that there are five 8s in 40 so,  $43 \div 8 = 5$  remainder 3

The children may begin to divide numbers where the dividend is beyond their tables knowledge.

E.g.  $56 \div 4 = 14$

Some more able children may be encouraged to make use of known mental facts for this. In this case thinking of 56 as being made up of 40 and 16 and knowing that  $40 \div 4 = 10$  and  $16 \div 4 = 4$

The teacher will use their professional judgement to make a decision about when children may see the traditional layout of division:

$$\begin{array}{r} \underline{14} \\ 4)56 \end{array}$$

Children should be able to solve real life problems including those with money and measures. They need to be able to make decisions about what to do with remainders after division and round up or down accordingly.


**End of Year Objective:**

*Divide numbers up to 3 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context.*


Progression in Y4 will begin with ensuring the children understand how the formal method works.

To calculate  $96 \div 6$ :

Represent 96 using base 10 materials.




How many groups of 6 can be made out of the tens (without changing their form)? Answer **1** group



$$\begin{array}{r} 1 \\ 6 \overline{)96} \end{array}$$

There are 3 tens left over so they need to be exchanged for units (ones) leaving :



How many groups of 6 can be made out of the 36 units (ones)? Answer **6** groups.


$$\begin{array}{r} 16 \\ 6 \overline{)96} \end{array}$$

This will progress onto dividing a 3 digit number by a 1 digit number.

E.g.

$$165 \div 5$$

Would be modelled using base 10 materials.




Again this would be explained as how many groups of 5 can I make out of the hundreds without changing their form? Answer none.

So they need to be exchanged for 10 tens.

This will leave us with 16 tens.


$$\begin{array}{r} 0 \\ 5 \overline{)165} \end{array}$$

How many groups of 5 can be made out of the 16 tens without changing their form? Answer 3 with 1 ten left over.



$$\begin{array}{r} 03 \\ 5 \overline{)16} \end{array}$$

This ten will be exchanged for units (ones) and added to the 5 we started with giving us 15 units.



$$\begin{array}{r} 033 \\ 5 \overline{)16} \end{array}$$

How many groups of 5 can we make out of the 15 units without changing their form? Answer 3

Children should be able to solve real life problems including those with money and measures. They need to be able to make decisions about what to do with remainders after division and round up or down accordingly.

## Y5

### End of Year Objective:

**Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context.**

Base 10 materials may continue to be used to model the method of division where necessary. Children will develop their skills with increasingly big numbers including calculations where there is exchange from the first number and then where there is exchange within the number. I.e. no carry from thousands to hundreds in the example underneath.

E.g. 
$$\begin{array}{r} 72 \\ 6 \overline{)432} \end{array}$$

$$\begin{array}{r} 1271 \\ 4 \overline{)5084} \end{array}$$

$$\begin{array}{r} 1054 \\ 7 \overline{)7378} \end{array}$$

## Y6

### End of Year Objective:

**Divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context.**

**Use written division methods in cases where the answer has up to two decimal places.**

To develop the formal method further, it should be extended to include dividing a four-digit number by a two-digit number, e.g.

$$6367 \div 28$$

$$\begin{array}{r} 227r11 \\ 28 \overline{)6367} \\ \underline{56} \phantom{00} \\ 76 \phantom{00} \\ \underline{56} \phantom{00} \\ 207 \end{array}$$

This will be interpreted as: how many groups of 28 can be made out of 6300?

Answer **200** ( $28 \times 200 = 5600$ ) This will leave 700 to be carried into the tens and exchanged for 70 tens.

This is added to the 6 tens we already have.

How many groups of 28 can be made out of the 76 tens? Answer **20** ( $28 \times 20 = 560$ ) This will leave 20 tens to be carried into the units.

This is added to the 7 units we already have giving 207 units in total to be divided by 28.

How many groups of 28 can be made out of 207 units? Answer **7** remainder **11** ( $28 \times 7 = 196$ )

Children should be able to solve real life problems including those with money and measures. They need to be able to make decisions about what to do with remainders after division and round up or down accordingly.

In addition, children should also be able to use the division method and solve calculations interpreting the remainder as a decimal up to two decimal places.

This should first be demonstrated using a simple calculation such as  $13 \div 4$  to show the remainder initially as a fraction.

It can be explained like this:

I can make 3 groups of 4 with 13, leaving a remainder of 1. (whole number remainder)

This remainder is part of a group of 4 and therefore as a fraction is  $\frac{1}{4}$ . (fraction remainder)

As a decimal this is a remainder of 0.25. (decimal remainder)

So:  $13 \div 4 = 3 \text{ r } 1$   
 $13 \div 4 = 3 \text{ r } \frac{1}{4}$   
 $13 \div 4 = 3.25$

Modelled thus:



$3574 \div 8$

$$\begin{array}{r} 446 \text{ r } 6 \\ 8 \overline{) 353754} \end{array}$$

$$\frac{6}{8} \leftarrow \begin{array}{l} \text{remainder} \\ \hline \text{divisor} \end{array}$$

So  $3574 \div 8$  is  $446\frac{6}{8}$   
 (when the remainder is shown as a fraction)

$$\begin{array}{r} 446.75 \\ 8 \overline{) 353754.00} \end{array}$$

To show the remainder as a decimal relies upon children's knowledge of decimal fraction equivalents. For decimals with no more than 2 decimal places, they should be able to identify:

Half:  $\frac{1}{2} = 0.5$

Quarters:  $\frac{1}{4} = 0.25$ ,  $\frac{3}{4} = 0.75$

Fifths:  $\frac{1}{5} = 0.2$ ,  $\frac{2}{5} = 0.4$ ,  $\frac{3}{5} = 0.6$ ,  $\frac{4}{5} = 0.8$

Tenths:  $\frac{1}{10} = 0.1$ ,  $\frac{2}{10} = 0.2$ ,  $\frac{3}{10} = 0.3$ ,  $\frac{4}{10} = 0.4$ ,  $\frac{5}{10} = 0.5$ ,  $\frac{6}{10} = 0.6$ ,  $\frac{7}{10} = 0.7$ ,  $\frac{8}{10} = 0.8$ ,  $\frac{9}{10} = 0.9$

and reduce other equivalent fractions to their lowest terms.

In the example above,  $3574 \div 8$ , children should be able to identify that the remainder as a fraction of  $\frac{6}{8}$  can be written as  $\frac{3}{4}$  in its lowest terms. As  $\frac{3}{4}$  is equivalent to 0.75, the answer can therefore be written as 446.75